



XYmatic
Trimplus
Wallpaper

MAIN FEATURES

- LCD Touch Screen display with intuitive and easy to use software
 - Wallpaper automatic vertical alignment
 - Marks reading sensor
 - Self-identification and marks learning
 - X&Y axis adjustable speed
 - Excellent visibility of the cutting area
 - Pinch Roll with silent compressor on the machine for material loading
 - Up to 10 vertical pneumatic cutting units
- Double loading roll
 - Tower Light
 - New manual system of vertical cutting units alignment
 - Open vertical cutting edges (no paper jam)
 - Monolithic machine body
 - Plug & Play
 - Standard jumbo Roll holder max, diameter 400 mm
 - Up to 20 Personalized Memories
 - Pneumatic system to separate the cutting waste

OPTIONAL

- Vertical single pneumatic cutting unit (max 10)
- Double central pneumatic cutting unit
- Vertical cutting guide laser
- Table extension for copy collection

MATERIALS

- Paper (also laminated or encapsulated)
- Wallpaper
- Canvas & polyester (with liner)
- Reflective material
- PVC banner
- Vinyl & Self-adhesive vinyl
- Backlit & frontlit display
- Magnetic rubber
- Film polycarbonate
- Special materials to be tested

XYmatic Trimplus Wallpaper




Laser ray for vertical cut (optional)



Tower Light



Innovative automatic cutting unit



Intuitive and easy-to-use software



LCD Touch Screen Display



Pneumatic Pinch Roll



Double central cutting units (optional)



Silent compressor inside the machine



Pneumatic vertical cutting units



Table for copies collection (optional)



- X e Y axes alignment
- 2 optical sensors for vertical alignment

Vertical line control:
The XY TRIM PLUS WALLPAPER reads the printed vertical marks along the roll length and automatically adjusts the media to ensure a perfect and straight wallpaper cut.



TECHNICAL INFO	XY MATIC TRIM PLUS
Width	1650 mm
Cutting thickness	
X AXIS	1,2 mm max
Y AXIS	0,5 mm max
Speed Advancement	1-50 m/minute
Cutting unit max	10 vertical unit
Horizontal cutting speed	1-150 m/minute
Power supply	230V - 50Hz - 650W
Maximum roll capacity wallpaper	70 kg



NeoltFactory srl
Headquarters: Via Italia, 6 - 24030
Valbrembo (Bergamo) ITALY
Tel: 035468811 Fax: 035468886
www.neoltfactory.com

You can also find us on the bigger social

